


**DURO**  
SPC HYBRID



# Duro SPC Hybrid Flooring


Duro SPC Hybrid Flooring is a robust and highly durable choice for modern interiors. Combining the best qualities of laminate and vinyl flooring, Duro is a 100% waterproof floor which can be installed throughout the house (excluding bathrooms and shower rooms). Made from natural stone powder and polymer fibers, this creates an extremely durable core which is both dent resistant and structurally stable.

# Product Specification

|                |                                     |
|----------------|-------------------------------------|
| Type           | Water-resistant SPC Hybrid Flooring |
| Thickness      | 6.5mm                               |
| Width          | 228mm                               |
| Length         | 1800mm                              |
| Edging         | 0.5mm Wear Layer Edging             |
| Pack Size      | 2.052sqm                            |
| Board Per Pack | 5 pieces                            |
| Surface        | Matte Finish                        |



The basic material is a stone-plastic composite, making SPC flooring incredibly strong, and the product is formaldehyde free, making for a completely safe flooring solution for both residential and public environments.



## Technical Specification

SPC Coreboard, Hybrid plank

Click Profile Floating Instal Width

0.5mm Wear Layer Edging

Aprox 22kgs/box

Interior Waterproof With Attached Acoustic Underlay

Fire Test Code Qualify And Slip Test P2

VOC, EO Superb Emission Level Complied With Australia Building Standard

## Key Feature

- Interior waterproof can be intaled in wet areas including bathroms and laundry.
- Score&snap,click long edges and press fit short end for easy install.
- RCB provides superior dimensional stability.
- Excelet for renovations over existing tiles, minimal telegraphing.
- High impact resistanace wear later.
- Supre width and clasic width planks.
- Attached 1.5mm acoustic sound pad enhance walking comfort and minimise sounds tranmission.





## Maintenance Tips

General maintenance; how to care for your laminate floor.

- Sweep floor regularly with an electrostatic broom, soft bristled broom or wood floor mop.
- Dust and or clean with a soft bristled vacuum head. Ensure vacuum head is non-abrasive with no metal contact points.
- Remove spills promptly with an absorbent cloth or similar.
- Place mats at exterior and interior doors to trap sand and grit from incoming traffic and for drying feet if pool activity is nearby.
- Use a rug or matt in high traffic areas to reduce wear & scuffing.
- Stick soft pads to the base of all furnishings in contact with the floor.
- When moving heavy furniture or appliances always pick it up rather than sliding it across the floor.
- Keep pets' claws properly trimmed to avoid excess scratches and gouges.

- For optimum performance chairs with roller wheels must be placed on protective mats to protect the surface from excessive grit and point load concentrated wear.
- Do not let sand, dirt or grit build up on the floor surface.
- Do not roll or slide heavy furniture or appliances across flooring without surface protection or lift trolley.
- Place drip pans or protective matting under pot plants and animal feeding or bedding areas to avoid moisture ingress.
- Importantly, make sure there is a minimum humidity of 35%- 50% in the room. Constant site variations above or below these limits may require the use of a humidifier. Good airflow and ventilation are required to avoid heat and cooling extremes. Long-term exposure may result in changes to the flooring surface. To resolve site specific circumstances please consult with your flooring installer or retailer for advice.

Disclaimer: we have used its reasonable endeavours to ensure the accuracy and reliability of the information contained herein and, to the extent permitted by law, will not be liable for any inaccuracies, omissions or errors in this information nor for any actions taken in reliance on this information. Products must be installed in accordance with relevant installation recommendations and industry best practices.