

TROPHY

laminate



Trophy Laminate

Trophy is an authentic look laminate flooring range presented with stunning European Oak timber visuals. The décor layers offer colours of washed out and cool muted tones with traditional timber characteristics. Displaying the same warmth and character normally associated with more expensive natural timber flooring, our Trophy range is ideally suited to almost any interior fit out. Trophy Collection offers a real alternative to natural timber flooring without compromising quality and visual appeal.

- ✓ Wide plank visuals, long boards
- ✓ Realistic timber surface for natural look
- ✓ AC4 Surface Rating
- ✓ Lifetime Structural Warranty
- ✓ Easy to install Clic System
(Licensed by Flooring Industries)

Product Specification

Type	Laminate Flooring
Thickness	12.3mm
Width	192mm
Length	2265mm
Edging	V-Grove
Pack Size	2.60928sqm
Board Per Pack	6 pieces
Surface	Embossed in register



Abrasion Resistant



Resistant To Light



Resistant To The Wheels Of Chairs



Resistant To Stain





Resistant To The Cigarette Burns



Anti-slip

2265mm

192mm



Maintenance Tips

General maintenance; how to care for your laminate floor.

- Sweep floor regularly with an electrostatic broom, soft bristled broom or wood floor mop.
- Dust and or clean with a soft bristled vacuum head. Ensure vacuum head is non-abrasive with no metal contact points.
- Remove spills promptly with an absorbent cloth or similar.
- Place mats at exterior and interior doors to trap sand and grit from incoming traffic and for drying feet if pool activity is nearby.
- Use a rug or matt in high traffic areas to reduce wear & scuffing.
- Stick soft pads to the base of all furnishings in contact with the floor.
- When moving heavy furniture or appliances always pick it up rather than sliding it across the floor.
- Keep pets' claws properly trimmed to avoid excess scratches and gouges.

- For optimum performance chairs with roller wheels must be placed on protective mats to protect the surface from excessive grit and point load concentrated wear.
- Do not let sand, dirt or grit build up on the floor surface.
- Do not roll or slide heavy furniture or appliances across flooring without surface protection or lift trolley.
- Place drip pans or protective matting under pot plants and animal feeding or bedding areas to avoid moisture ingress.
- Importantly, make sure there is a minimum humidity of 35%- 50% in the room. Constant site variations above or below these limits may require the use of a humidifier. Good airflow and ventilation are required to avoid heat and cooling extremes. Long-term exposure may result in changes to the flooring surface. To resolve site specific circumstances please consult with your flooring installer or retailer for advice.

Disclaimer: we have used its reasonable endeavours to ensure the accuracy and reliability of the information contained herein and, to the extent permitted by law, will not be liable for any inaccuracies, omissions or errors in this information nor for any actions taken in reliance on this information. Products must be installed in accordance with relevant installation recommendations and industry best practices.